ADDENDUM #1 TO SPEC. 06-269

ANNUAL REQUIREMENTS FOR DYNAMIC MESSAGE SIGNS

Addendum #1 to Spec. 06-269 for **Annual Requirements for Dynamic Message Signs**, bids to be opened on Friday, October 6, 2006 at 12:00 noon.

1. The attached drawing should have been included with the original specifications.


All other terms and conditions to remain unchanged.

Dated this 22nd day of September, 2006.

Purchasing Department

Tom Kopplin Assistant Purchasing Agent

- [
-	STRUCTURE	DATA	Т	POLE	CITI		7	5	TAUCTURE	SCHEDUL	E		· · · · · · · · · · · · · · · · · · ·						
1	IGN STATION	SPAN	BASE DIA.	TOP DIA.	LENGTH	THK.	BASE		ARM DATA		1		TE DATA			44	CHOR BOL	T DATA	
	\$275701	19'-0-	15'00.	d.85*	22.501	0.1793*	DIA.	ENO DIA. 5.42°	LENGTH	THK.	SIZE	SOLT CIRCLE Y	THK. "M"	JICE JICE	NO.	DIA,	LENGTH	HDOK	THD.LNG.
L	5272702	19"-0"	12,00*	8.85*	32 .50'	0.1793*	B.00°	5.421	18'-4.57"	0.1793° 0.2793°	17.00 50.	15.00*	1.50*	1.75*	4	1.50	54.00"	5,69	p 00.
L	5275703	190"	12,00*	8.05	22.50'	0.1793*	9.00,	5.42*	16"-#.57"	0.1793*	17.00° 50.	19.00*	1.50"	1.75*	-	1.50"	54.00	6.00*	8 00"
											·			, , , , ,		1,29	34,00"	6.00	4.00*



NOTE: Maximum SIGN SIZE 6'X3.5'



50-14-E

	MAT	ERI	AL DATA		
TURNOTHOS	ASTH DESIGNATION	\$211 \$1\$70 \$14'	COMPONENT	ASTH DESIGNATION	HIH. YIEL KSI
POLE SHAFT	A595 GR.56	35	GUSSETS	A36	25
ARM SHAFT	4595 58.55	65	ANCHOR BOLTS	F 1954	55
BASEPLATE	A36	36	CONNECTING BOLTS	1A325 •	81
SIMPLEX PLATES	436	35	STRUCTURE GALYANTIING	V153	- 61
HER HEHDEAS	1501.4513.4616 1590 (F. 8		HEADHARE BALARAITIRG	A153	
	i			 -	
					

*LUBRICATE IN THE FIELD IF MECESSARY.

SADA TO CLITY OF LINCOLN BASE			
2.6 × 7.57-520	YALMONT THOMSTHIES, THE RESERVES THE RIGHT TO INSTALL VARIOUS.	valmont ♥	CACER NUMBER: 44824-11
1 19341 927:257031 05H 927:257031	ENGINEER APPROVED, MATERIAL HANGING ACCOMMODATIONS TO FACILITATE THE	United the form	CRANING MANUER INEY
	HANGFACTURING PROCESS.	1402) 359-2201 POLES	NE4488411

ELEVATION VIEW

Valmont Industries, Inc. Valley, NE 68064

ANALYSIS OF DOLTS & PLATE

Program: BPL (ver 2.01a)

Wed Jan 22 10:42:42 2003

Input Units: U.S.Customary Coupail Units: U.S.Customary Angles: Degrees

Specification: AASITIO

and the grant and the same a		•
Fx 0 (1b) Mx	38920	(II-Ib)
Fy 2168 (1b) My	0	(tt-1P)
Fz [829 (1b) Mz	1835	(n-1b)
· · · ·		
Pole Diameter	12	(iri)
Pole Sides	0	
		_
Bolt Diameter	1.5	(in)
Bolt Length	60	(in)
Bolt Yield Strength	55000	(psi)
Eolt Circle	16	(in)
First Bolt Angla	45	(අපව)
Number of Bolis	4	
		_
Plate X-Length	1.7	(in)
Plate Y-Length	17	(in)
Plate Thickness	1.5	(in)
Plate Yield Strongth	36000	(psi)
Attachment Angle	O	(deg)

19 STAN SIGN STRUCTERUCTURE (6'X35' SIGN)